

VES

VIJAY ELECTRONICS AND SERVICES

Stands out in any space.



www.vesctv.com

Powered By




Which VES is right for you?

Different Styles, For Different Spaces

Welcome to a realm where clarity intertwines with innovation, where every detail holds significance, and where VES Display transforms into the canvas for your visual masterpiece.

Elevate your viewing experience with IPS Panel's HD brilliance or dive into the future with 4K resolution support, exclusively available in our 50", 55" and above screen sizes. VES Display ensures every detail is brought to life on your screen



Why CAN?

VES DigitalSignagevsTraditional Signage

In terms of exposure, digital signage has various advantages over traditional signage. For example, quickly customise and update their information with digital signage to ensure that it is constantly relevant and up to date remotely.

Is Power Consumption Required?
Is Reliability Critical?
Is Flexibility a Priority?
Consider Upfront Costs
Consider Maintenance Costs
Consider Content Updating
Consider Audience Targeting
Consider Interactivity
Consider Data Analytics
Consider Exposure

Digital	Traditional
Yes	No
No	Yes
Yes	No
Lower	Higher
Higher	Lower
Flexible	Inflexible
High	Limited
High	Limited
Robust	Limited
Advantageous	Limited

1 YEAR WARRANTY

Conclusion : VES Digital Signage Offers Better Customer Experiences.



Best and brightest.

Show your best.



A brilliant IPS Panel Full Toughened Glass display.

Available Models

VESLit 3201 32" (768x1366 pixels • 16.7 M Colours • 300 Nits Brightness)
VESLitPro 4301 43" (1080 x 1920 pixels • 16.7 M Colours • 380 Nits Brightness)



Product Dimensions & Weight

32" WxHxD (18.01x69.13x2.35inch) 15" Base Radius • N.Wt 19.5kg • G.Wt 24kg
43" WxHxD (22.06x76.01x2.65inch) 15" Base Radius • N.Wt 27.9kg • G.Wt 32.5kg



• Inbuilt Editor
(Image & Video)



• Toughened Glass
Body Protection



• Continuous Scrolling
Text Effect



• Multi-level
Authentication



• User Friendly
UI / UX

LED Display

Contrast Ratio
Colours 100000:1 (Static)
Aspect Ratio 16.7 M
9:16
Viewing Angle 178°/178°
Motion Rate 60 Hz



10W Audio

Speakers

Hardware

RAM 1 GB
Storage (ROM) 8 G B

Connectivity

USB 2
Wi Fi
R345 (LAN)

Extra Features

Panel Type A+ Grade Panel
Auto On
Blue Back Single Key
Media Center Operation Auto
Local Keyboard English
Colour Temperature
Software Languages



www.vescctv.com



Best and brightest.

Walk your best.



A brilliant IPS Panel Full Toughened Glass display.

Available Model

VESWalk 3201 32" (768x1366 pixels • 16.7 M Colours • 300 Nits Brightness)



Product Dimensions & Weight

32" WxHxD (18.01x36.14x2.35inch) • N.Wt 13.35kg • G.Wt 17.13kg



• Inbuilt Editor (Image & Video)



• Toughened Glass Body Protection



• Continuous Scrolling Text Effect



• Multi-level Authentication



• User Friendly UI / UX

LED Display

Contrast Ratio 100000:1 (Static)
Colours 16.7 M
Aspect Ratio 9:16
Viewing Angle 178°/178°
Motion Rate 60 Hz



10W Audio

Speakers

Hardware

RAM 1 GB
Storage (ROM) 8 G B
Battery upto 5 Hrs

Connectivity

USB 2
Wi Fi
RJ45 (LAN)


Extra Features

Panel Type A+ Grade Panel
Auto On
Blue Back Single Key
Media Center Operation Auto
Local Keyboard English
Colour Temperature
Software Languages



Best and brightest.

True-to-life display.



A brilliant IPS Panel Full Toughened Glass display.

Available Models

- VESMount 3201 32" (768 x 1366 pixels • 16.7 M Colours • 300 Nits Brightness)
- VESMount **Pro** 4301 43" (1080 x 1920 pixels • 16.7 M Colours • 350 Nits Brightness)
- VESMount **Pro+** 500 1 50" (2160 x 3840 pixels • 16.7M Colours • 380 Nits Brightness)
- VESMount **Max** 5501 55" (2160 x 3840 pixels • 16.7M Colours • 380 Nits Brightness)



You Tube Media Center Web Browser Android IQ World

Product Dimensions & Weight

32" WxHxD (18.01x36.14x2.35inch) • N.Wt 10.4kg • G.Wt 13.5kg
43" WxHxD (22.06x48.16x2.65inch) • N.Wt 16.9kg • G.Wt 20kg
50" WxHxD (26 x 50 x 3inch) • N.Wt 21kg • G.Wt 26kg
55" WxHxD (28 x 55 x 3.3inch) • N.Wt 25kg • G.Wt 29kg



• Inbuilt Editor
(Image & Video)



• Toughened Glass
Body Protection



• Continuous Scrolling
Text Effect



• Multi-level
Authentication



• User Friendly
UI / UX

LED Display

Contrast Ratio 100000:1 (Static)
 Colours 16.7 M
 Aspect Ratio 9:16

Viewing Angle 178°/178°

Motion Rate 60 Hz



10W Audio

Speakers

Hardware

RAM 1 GB
 Storage (ROM) 8 G B

Connectivity

USB 2
Wi Fi
 RJ45 (LAN)

Extra Features

Panel Type	A+ Grade Panel
Auto On	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Blue Back	Single Key
Media Center	Operation Auto
Local Keyboard	English
Colour Temperature	
Software Languages	



www.vescctv.com



Every day. More extraordinary.

Multi-task your best.



A brilliant IPS Panel Full Toughened Glass display.

Available Models

VES 3201 32" (768x1366 pixels • 16.7 M Colours • 300 Nits Brightness)
VESPro 4301 43" (1080 x 1920 pixels • 16.7 M Colours • 350 Nits Brightness)



Product Dimensions & Weight

32" WxHxD (18.01x52.06x2.30inch) • N.Wt 13.4kg • G.Wt 16.43kg
43" WxHxD (22.06x58.05x2.56inch) • N.Wt 20.1kg • G.Wt 23.6kg



• Inbuilt Editor (Image & Video)



• Toughened Glass Body Protection



• Continuous Scrolling Text Effect



• Multi-level Authentication



• User Friendly UI / UX

LED Display

Contrast Ratio
Colours 100000:1 (Static)
Aspect Ratio 16.7 M
9:16
Viewing Angle 178°/178°
Motion Rate 60 Hz



10W Audio

Speakers

Hardware

RAM 1 GB
Storage (ROM) 8 G B

Connectivity

USB 2
Wi-Fi
RJ45 (LAN)

Extra Features

Panel Type A+ Grade Panel
Auto On
Blue Back Single Key
Media Center Operation Auto
Local Keyboard English
Colour Temperature
Software Languages



4K The ultimate experience.



A brilliant IPS Panel Full Toughened Glass display.

Available Models

- VESVue 3201 32" (768 x 1366 pixels - 16.7M Colours - 300 Nits Brightness)
- VESVue Pro 4301 43" (1080 x 1920 pixels - 16.7M Colours - 350 Nits Brightness - with wheels)
- VESVue Pro+ 5001 50" (2160 x 3840 pixels - 16.7M Colours - 380 Nits Brightness - with wheels)
- VESVue Mini 5501 55" (2160 x 3840 pixels - 16.7M Colours - 380 Nits Brightness - with wheels)
- VESVue Max 5501 55" (2160 x 3840 pixels - 16.7M Colours - 380 Nits Brightness - with wheels)
- VESVue Max+ 6501 65" (2160 x 3840 pixels - 16.7M Colours - 380 Nits Brightness - with wheels)

Product Dimensions & Weight

32" WxHxD (18.01x53.16x2.25inch) • N.Wt 16.5kg • G.Wt 19.7kg
43" WxHxD (22.06x67.01x2.50inch) • N.Wt 34.50kg • G.Wt 39.1kg
50" WxHxD (26x69x2.50inch) • N.Wt 45kg • G.Wt 50kg
55" WxHxD (28.06x80x2.50inch) • N.Wt 49kg • G.Wt 54.7kg
55" WxHxD (28x69x2.50inch) • N.Wt 47kg • G.Wt 50kg
65" WxHxD (33x80x2.50inch) • N.Wt 57kg • G.Wt 64kg



You Tube Media Center Web Browser Android IQ World



• Inbuilt Editor (Image & Video)



• Toughened Glass Body Protection



• Continuous Scrolling Text Effect



• Multi-level Authentication



• User Friendly UI / UX

LED Display

Contrast Ratio
 Colours 100000:1 (Static)
 Aspect Ratio 16.7 M
 9:16
 Viewing Angle 178°/178°
 Motion Rate 60 Hz



10W Audio

Speakers

Hardware

RAM 1 GB
 Storage (ROM) 8 G B

Connectivity

USB 2
Wi-Fi
RJ45 (LAN)

Extra Features

Panel Type	A+ Grade Panel
Auto On	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Blue Back	Single Key
Media Center	Operation Auto
Local Keyboard	English
Colour Temperature	
Software Languages	



www.vescctv.com



Experience the best.

4K

See all the details.



A brilliant IPS Panel display.

Available Models

- VESNX 3201 32" (1366 x 768 pixels - 16.7M Colours - 300 Nits Brightness)
- VESNX Pro 4301 43" (1080 x 1920 pixels - 16.7M Colours - 350 Nits Brightness)
- VESNX Pro+ 5001 50" (2160 x 3840 pixels - 16.7M Colours - 380 Nits Brightness)
- VESNX Max 5501 55" (2160 x 3840 pixels - 16.7M Colours - 380 Nits Brightness)
- VESNX Max+ 6501 65" (2160 x 3840 pixels - 16.7M Colours - 380 Nits Brightness)

Product Dimensions & Weight



32" WxHxD (17.08x28.16x1.68inch) • N.Wt 4.1kg • G.Wt 5.1kg
43" WxHxD (22.13x37.18x2.30inch) • N.Wt 5.8kg • G.Wt 7.64kg
50" WxHxD (43.18x25.16x1.70inch) • N.Wt 9.15kg • G.Wt 11.95kg
55" WxHxD (48.08x28.08x1.70inch) • N.Wt 11.42kg • G.Wt 14.60kg
65" WxHxD (57x32.7x1.70inch) • N.Wt 15kg • G.Wt 19kg

- Inbuilt Editor (Image & Video)
- Continuous Scrolling Text Effect
- Multi-level Authentication
- User Friendly UI / UX

LED Display

Contrast Ratio 100000:1 (Static)
 Colours 16.7 M
 Aspect Ratio 16:9
 Viewing Angle 178°/178°
 Motion Rate 60 Hz



10W Audio

Speakers

Hardware

RAM 1 GB
 Storage (ROM) 8 G B

Connectivity

- 2
-
-

Extra Features

- Panel Type A+ Grade Panel
- Auto On
- Blue Back Single Key
- Media Center Operation
- Local Keyboard Auto English
- Colour Temperature
- Software Languages



Pretty much everywhere.



Portable Desk Promotion.

Available Model

VESDesk 1001 10.1" (1280 x 800 pixels)

VESDesk 1301 13.3" (1280 x 800 pixels)

VESDesk 1501 15.6" (1280 x 800 pixels)



Media Center



• Toughened Glass
Body Protection



• AutoPlay



• User Friendly UI

Display

Contrast Ratio 1000:1

Colours 16.7 M

Aspect Ratio 10:16

Viewing Angle 85/85/85/85 (L/R/U/D)

Motion Rate 60 Hz

2W Audio

Speakers



Hardware

RAM 2 GB
Int. Memory 8 GB

Connectivity

 1

Extra Features

Panel Type	A+ Grade
Auto On	Panel
Media Center	<input type="checkbox"/> <input type="checkbox"/>
Working Temp	0-40 Degree
Software Languages	English



Solar Powered. Smart Security.



Wireless 4G Cellular Mini Solar Security Camera

Available Model

VESCam-4G-Mini S1
VESCam-4G-Mini S2
(Pan-Tilt Version)

Solar & Battery

6W Solar
10,000mAh Battery
90-Day Standby

Feature

1080p Full HD (1920 × 1080)

Lens 3.6mm Wide-Angle
Night Vision IR + Full-Color Night Vision (Dual LED)
Motion Detection PIR Human Detection
Pan-Tilt (S2 Model) Pan 355°, Tilt 95°
Digital Zoom 4x

Hardware

128GB SD + Cloud
IP66 Outdoor Body
2W Speaker
-20°C to 60°C

Connectivity

4G LTE SIM
All LTE SIMs Support
App: Android / iOS
2-Way Audio

Extra Features

Instant Mobile Alerts
Auto Motion Tracking
Time-Lapse Recording
Anti-Theft Alarm
QR-Code Easy Setup
Multi-User Sharing

S2 Model



Perfect View. Every Time.



LED Video Wall

Available Model

VESLED-P1.2
VESLED-P1.5
VESLED-P1.8
VESLED-P2.5

Voltage: 110–240V

Avg. Power: 250–450W/m²

Low Heat Output

Durability

Working Temp: -10°C to 50°C
Lifetime: 100,000+ hours
Protection: Anti-Static / Anti-Interference

Display

Pixel Pitch: P1.2 / P1.5 / P1.8 / P2.5
(as per model)

Brightness: 800–1200 nits
Refresh Rate: 1920–3840 Hz
Viewing Angle: 160° / 140° (H/V)
Color Depth: 14–16 Bit
Contrast: 5000:1

Control

Cabinet Type: Ultra-Slim
Aluminum
Cabinet Size: 640×480 /
640×640 (depends on model)
Weight: Lightweight design
Front Service: Magnetic
Modules
Seamless Joint: 0 mm gap

Connectivity

Input: HDMI / DVI /
SDI / LAN
Controller:
Synchronous &
Asynchronous
Smart Calibration:
Auto-Color Balance

Extra Features

Wall-Mount / Stand-Mount /
Bezel-Free Design
No Flicker Camera-Safe
High Uniformity

VES

VIJAY ELECTRONICS AND SERVICES

VES



www.vescctv.com



Vijay Electronics & Services

B/2. Guru Kripa CHS., Tulsi Baug. Charat Singh Colony Rd.
Andheri (E), Mumbai-400 093.

Customer Care No. : Tel.: 022-28238182

Mobile: 9869438182

E-mail: vescctv@gmail.com